

20



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/546,392	04/10/2000	Atsushi Watanabe	392.1681/JDH	2369
21171	7590	01/18/2005	EXAMINER	
STAAS & HALSEY LLP SUITE 700 1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			HESSELTINE, RYAN J	
			ART UNIT	PAPER NUMBER
			2623	
DATE MAILED: 01/18/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/546,392	Applicant(s) WATANABE ET AL.	
	Examiner Ryan J Hesselline	Art Unit 2623	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 July 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments on page 11, third paragraph, filed July 26, 2004, with respect to claim 26 have been fully considered and are persuasive. The 35 U.S.C. 112, second paragraph rejection of claim 26 has been withdrawn.
2. Applicant's arguments with respect to claims 1-32 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-4, 12-15, 23 and 24 are rejected under 35 U.S.C. 102(b) as being anticipated by Spight (USPN 4,462,046, previously cited).
5. Regarding claim 1, Spight discloses a robot system having an image processing function for determining orientation, or orientation and position of a robot operation on one of a plurality of objects (abstract), the system comprising: a robot 202 (Figure 2); a first image capturing device 40 capturing image data of the plurality of objects containing respective images of the objects (Figure 1; column 3, line 29-38; column 5, line 34-48; column 6, line 11-13); a memory storing reference models, each comprising an image of a reference object captured by said image capturing device in a different direction, and for each reference model storing information of the capturing direction of its associated image and information of an orientation of the robot with

Art Unit: 2623

respect to the reference object, the information of the capturing direction representing a rotational posture (orientation) of the reference object relative to the robot, said reference object being one of the plurality of objects or an object having a shape identical to that of one of the plurality of objects (column 9, line 4-19); and a processor 64 to perform matching (correlation) on the image data containing images of the plurality of objects captured by said first image capturing device with each of said reference models successively to select one object having an image matched with one of said reference models (column 7, line 64-column 8, line 15; column 9, line 59-column 10, line 11), and to determine orientation, or orientation and position of the robot operation based on the image of the selected one object, based on said one reference model and the information of its associated capturing direction, and based on the information of the orientation of the robot operation with respect to the reference object that is associated with said one reference model (column 7, line 28-49; column 8, line 16-37; column 11, line 21-37).

6. Regarding claim 12, Spight discloses a robot system having an image processing function for determining orientation, or orientation and position of a robot operation on one of a plurality of objects of plural kinds, where the orientation of the operation corresponds to a determined orientation of the one object, where the determined orientation is a rotational posture of the one object (abstract), the system comprising: a robot 202 (Figure 2); a first image capturing device 40 capturing image data of the plurality of objects containing respective images of the objects (Figure 1; column 3, line 29-38; column 5, line 34-48; column 6, line 11-13); a memory storing reference models, each comprising images of each of different kinds of reference objects corresponding to images captured by said image capturing device (column 8, line 10-15), and storing indicia of the kinds respectively associated with said reference models, and information

Art Unit: 2623

of a different orientation of the robot with respect to each of the different images of the reference object of each kind, where the captured information of orientation comprises information of a rotational posture of the reference object relative to the robot, each of said reference objects being one of the kinds of the plurality of objects or having a shape identical thereto (column 9, line 4-19); and a processor 64 to perform matching (correlation) on the image data containing images of the plurality of objects captured by said first image capturing device with each of said reference models successfully to select an object having an image matched with one of said kinds of the reference models (column 7, line 64-column 8, line 15; column 9, line 59-column 10, line 11), and to determine orientation, or orientation and position of the robot operation, the determining based on the image of the selected one object, based on said one reference model, based on the indicia of the kind associated with said one reference model and the information of the orientation of the robot operation with respect to the reference object associated with said one reference model of said one kind (column 7, line 28-49; column 8, line 16-37; column 11, line 21-37).

7. Regarding claims 2 and 13, Spight discloses that said reference models are obtained from a part of the image data of the reference object (column 3, line 29-38; column 6, line 37-52; column 10, line 50-63).

8. Regarding claims 3 and 14, Spight discloses that said reference models are obtained by processing the image data of the reference object (column 3, line 29-38; column 6, line 37-52; column 10, line 50-63).

9. Regarding claims 4 and 15, Spight discloses that said first image capturing device 40 comprises a camera for capturing two-dimensional image data (column 5, line 42-48).

10. Regarding claim 23, Spight discloses a method for automatically determining an arrangement of a workpiece relative to a robot, where the determined arrangement comprises at least rotational posture arrangement (orientation) of the workpiece relative to the robot (abstract), the method comprising: storing reference images corresponding to images of the workpiece or an object so shaped (workpiece/object) and reference arrangement information indicating arrangements (configurations) of the robot and workpiece/object relative to each other when the images were captured, the reference arrangement comprising rotational arrangements (orientations) of the workpiece relative to the robot (column 9, line 4-19); from a known arrangement of the robot, capturing a working image of the workpiece among a plurality of randomly arranged workpieces with an imaging device (column 3, line 29-38; column 6, line 11-13); finding one of the reference images matches (correlates with) the workpiece in the working image (column 7, line 64-column 8, line 15; column 9, line 59-column 10, line 11); and determining an arrangement of the robot relative to the workpiece based on information indicating the known arrangement of the robot, and based on the reference arrangement information corresponding to the found reference image, where the determined arrangement comprises rotational arrangement (orientation) of the workpiece relative to the robot (column 7, line 28-49; column 8, line 16-37; column 11, line 21-37).

11. Regarding claim 24, Spight discloses that reference images and reference arrangement information is obtained for workpieces/objects of different shapes (plurality of configurations of each desired object to be identified), and wherein the finding comprises first determining that a reference image of one of the different shapes matches the working image of the workpiece, and

Art Unit: 2623

then finding one reference image of the shape that best matches the working image (column 8, line 10-30; column 9, line 4-19).

Claim Rejections - 35 USC § 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. Claims 5 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spight as applied to claims 4 and 15 above, and further in view of Suyama et al. (USPN 4,879,664, previously cited, hereafter Suyama) or Stauffer (USPN 4,410,804, previously cited).

14. Spight does not disclose that the image data are captured from a predetermined distance. Suyama discloses a three-dimensional position sensor comprising robot-teaching apparatus wherein said image data of the reference object are captured by said camera (Figure 11a, element 35) from a predetermined distance (column 6, line 20-37). In addition, Stauffer teaches that if a two-dimensional sensor is used, the image processor is unable to simultaneously determine the distance to the object unless the objects are always positioned at a known distance (column 1, line 31-39). It would have been obvious to one of ordinary skill in the art at the time the invention was made to capture an image at a predetermined distance in order to adjust the position and posture of teaching head 3 with respect to the workpiece 9 as taught by Suyama (column 6, line 20-37) or such that the distance to the object need not be determined by other means as taught by Stauffer (column 1, line 31-39).

Art Unit: 2623

15. Claims 6, 7, 11, 17, 18 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spight as applied to claims 1 and 12 above, and further in view of Maeno et al. (USPN 5,047,714, previously cited, hereafter Maeno).

16. Regarding claims 6 and 17, Spight does not disclose that the robot moves a second image capture device to have the determined orientation and/or position. Maeno discloses a method of recognizing surface-mounted parts including a robot system comprising a second image capturing device (Figure 7c, element 10); wherein said robot situates said second image data capturing device to have said determined orientation or to have said determined orientation and said determined position with respect to the selected one object (column 4, line 44-49), and a processor processes second image data captured by said second image capturing device to detect position and/or rotational posture of the selected one object with respect to said second image data capturing device (column 4, line 54-63). It would have been obvious to one of ordinary skill in the art at the time the invention was made to move the second image capture device (imaging tube) to have the determined orientation and/or position as taught by Maeno in order to locate position detecting patterns located at specific positions to accurately and directly determine the position and direction of conductor patterns on the printed circuit board (column 1, line 51-59).

17. Regarding claims 7 and 18, Spight does not disclose that the robot moves a second image capture device to have the determined orientation and/or position. Maeno discloses a robot system comprising a second image capturing device for obtaining three-dimensional position; wherein said robot situates said second image data capturing device to have said determined orientation or to have said determined orientation and said determined position with respect to

Art Unit: 2623

the selected one object, so that the second image data capturing device is directed to a characterizing portion of the object; and wherein said processor detects the three-dimensional position and/or posture of the selected one object based on the position of said characterizing portion obtained by said second image data capturing device (see discussion of claims 6 and 17 above). Maeno does not explicitly disclose that the three-dimensional position of the selected one object, but the examiner takes Official Notice that obtaining three-dimensional position of an object is well known in the art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to detect the three-dimensional position of the object in order to determine the location of the object in space so that operations may be carried out upon it.

18. Regarding claims 11 and 22, Spight discloses that said robot operation is an operation of picking up the selected one object from the plurality of objects, some of which are overlapped (randomly arranged) with each other (column 6, line 11-13).

19. Claims 8, 19, 27 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spight in view of Maeno as applied to claims 6, 7, 17 and 18 above, and further in view of Soderberg (USPN 4,785,528, previously cited).

20. Regarding claims 8, 19, 27, and 30, Maeno does not disclose that said first image data capturing device is used as said second image data capturing device. Soderberg discloses a robotic work positioning system including a camera 34 mounted on member 28 of robot 10 which serves as both the first and second image data capturing device since it both determines the position of the work, and is moved to have the determined orientation and/or position (Figure 1; column 2, line 53-column 3, line 1, line 44-50; column 5, line 34-41). It would have been

Art Unit: 2623

obvious to one of ordinary skill in the art at the time the invention was made to use said first image data capturing device as said second image data capturing device as taught by Soderberg in order to retrieve parts from a conveyor using a vision system to select the desired part from other parts and engage the part at precisely the correct location to be properly placed by the robot (column 5, line 60-column 6, line 6).

21. Claims 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spight as applied to claim 23 above, and further in view of Soderberg.

22. Regarding claim 25, Spight does not disclose that the robot is used to capture the reference images. Soderberg discloses a robot that is used to capture reference images, and wherein the reference arrangement information represents arrangements of the robot when capturing the reference images (Figure 1; column 2, line 53-column 3, line 4, line 31-59; column 5, line 60-column 6, line 6). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a robot to capture reference images as taught by Soderberg in order to retrieve parts from a conveyor using a vision system to select the desired part from other parts and engage the part at precisely the correct location to be properly placed by the robot (column 5, line 60-column 6, line 6).

23. Regarding claim 26, Spight does not disclose that a second imaging device is affixed to the robot. Soderberg discloses a camera 34 mounted on member 28 of robot 10 and is used to determine additional arrangement information used to determine the known arrangement of the robot relative to the workpiece (Figure 1; column 3, line 44-50; column 5, line 34-41). It would have been obvious to one of ordinary skill in the art at the time the invention was made to affix an imaging device to the arm of a robot as taught by Soderberg in order to retrieve parts from a

Art Unit: 2623

conveyor using a vision system to select the desired part from other parts and engage the part at precisely the correct location to be properly placed by the robot (column 5, line 60-column 6, line 6).

24. Claims 9, 10, 20, 21, 28, 29, 31 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spight in view of Maeno as applied to claims 6, 7, 17 and 18 above, and further in view of Sakakibara et al. (JP 07-270137, previously cited, hereafter Sakakibara).

25. Regarding claims 9, 20, 28, and 31, Maeno does not disclose that said second image capturing device comprises a three dimensional visual sensor of spot-light scanning type. Sakakibara discloses a three dimensional visual sensor usable in robot automation (page 1, paragraph 1), of spot-light scanning type capable of measuring distance between the sensor and an object (page 3, paragraph 15). It would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize a three dimensional visual sensor of spot-light scanning type as taught by Sakakibara in order to quickly and accurately determine the three dimensional position of an object using one device (page 2, paragraph 11).

26. Regarding claims 10, 21, 29, and 32, Sakakibara discloses an image data capturing device comprising a structured-light unit for irradiating a structured light on the selected object and capturing an image of the object including the irradiated light on the object (page 3, paragraph 16).

Conclusion

27. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- USPN 4,416,924 to Birk et al. discloses a system for visually determining position and/or orientation in space.
- USPN 4,437,114 to LaRussa discloses a robotic vision system including grasping objects with random orientation by finding a matching image.
- USPN 4,704,694 to Czerniejewski discloses a learned part system including identifying the presence and orientation of an object to control a robotic system by comparing an unknown object with stored values.
- USPN 4,707,647 to Coldren discloses a gray scale vision method and system including determining the location and orientation of an object.
- USPN 4,942,539 to McGee et al. discloses a method and system for automatically determining the position and orientation of an object in 3-D space.
- USPN 5,220,619 to Keokoek discloses a method of matching a variable 2-D image of a known 3-D object with a desired 2-D image of the object to automatically determine the position and orientation of the object in 3-D space.
- USPN 5,329,469 to Watanabe discloses a calibration method for a visual sensor including determining the position and orientation of a workpiece in a robot coordinate system.
- USPN 5,621,807 to Eibert et al. discloses an intelligent range image camera for object measurement including comparing 3-D object geometry data with 3-D geometric models to identify an object as well as its position and orientation.
- USPN 5,790,687 to McLaughlin et al. discloses a method and apparatus for the optical determination of the orientation of a garment workpiece.

Art Unit: 2623

- USPN 6,490,369 to Beiman discloses a method of viewing and identifying a part for a robot manipulator including a stored template of a known part.

28. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan J Hesseltine whose telephone number is 703-306-4069. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amelia Au can be reached on 703-308-6604. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ryan J. Hesseltine
January 10, 2005

JINGGEWU
PRIMARY EXAMINER

A large, stylized handwritten signature in black ink, consisting of several sweeping, overlapping strokes, is written over the printed name and title of the examiner.